



## SECUREX RETROFIT

10FT HIGH

Fence System: 2 or 3 rail – ALL CHAINLINK FRAMEWORK IN PLACE

**Mesh size:** 48" w x 120" h

**Mesh size:** 60" w x 120" h

**Mesh panels per section:** 2

**On Center:** 93"-120"

### Securex Fittings (per section):

*End Section-End Posts*

9 Retro-Fit Bands (to match end post size)

*Corner Section- Corner Posts*

18 Retro-Fit Bands (to match corner post size)

*Line Section-Line Posts*


8 Retro-Fit C-Clamps (to match line post size)

*All Sections*

48" wide mesh panel – 2 Retro-Fit C-Clamps  
per mesh section, per rail

60" wide mesh panel – 3 Retro-Fit C-Clamps  
per mesh section, per rail

8 Retro-Fit bar clamps (pair)



### Securex Framework Requirement:

(strength requirements variable based on mesh choice)

3" or larger Terminal Posts (end and corner) with caps

3" or smaller Line Posts with caps

1-5/8" top/mid/bottom rail

Notes:

Framework assumes SCH40 or SS40/WT40 round pipe. *Framework size requirements are contingent on mesh.*

All mesh is available standard in the following sizes: 1/2"-#13R 1/2"-13R(.188) 3/4"-#9R 1"-#7(.240)

Expanded metal mesh is hot dip galvanized OR powder coat -Black or Green (custom colors available)

Fasteners – Securex recommends stainless steel nuts with breakaway bolts. Standard carriage bolts should be peened to prevent removal.

All Securex systems assume reverse diamond orientation unless otherwise requested.

Mesh panel size and configuration can be adjusted to design requirements.